

# GESTO



## GESTO TAMBUR MOTOR GESTO DRUM MOTORS

### Kullanım Alanları

- Yüksek performanslı her türlü konveyör
- Gıda endüstrisi
- Lojistik uygulamaları
- Hafif tarım ürünleri konveyörleri
- Hareketli veya portatif konveyörler
- Havaalanı çekim konveyörleri
- Teleskopik konveyörler
- Fırçalı temizleyiciler

### Özellikler



- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Sertleştirilmiş çelik dişliler
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Fazlı AC endüksiyon motor
- Dual voltaj
- Güçlü tandem sızdırmazlık
- Düşük ses
- İsteğe bağlı farklı opsiyonlar\*

### Application Areas


- High duty applications
- Food industry
- Logistics applications
- Light duty agricultural conveyors
- Mobile and portable conveyors
- Airport conveyors
- Telescopic conveyors
- Brush cleaners

### Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Hardened steel
- Maintenance free
- Frequency convertor compatibility
- 3 Phase AC induction
- Dual voltage
- Double lipped tandem sealing
- Low noise
- Various options on request\*



\* Farklı ölçü istekleriniz için GESTO'ya danışınız.  
For non-standard dimension requests contact GESTO.



### Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,55	2,50	14	209	345
	2,00	18	261	276
	1,60	23	327	221
	1,40	26	373	193
	1,25	29	418	172
	1,00	36	523	138
	0,80	45	653	110
	0,70	52	746	97
	0,60	60	871	83
	0,50	72	1045	69
	0,40	90	1306	55
	0,30	121	1742	41
	0,25	145	2090	34
0,37	2,50	10	141	345
	2,00	12	176	276
	1,60	15	220	221
	1,40	17	251	193
	1,25	19	281	172
	1,00	24	352	138
	0,80	30	439	110
	0,70	35	502	97
	0,60	41	586	83
	0,50	49	703	69
	0,45	54	781	62
	0,40	61	879	55
	0,35	70	1004	48
	0,30	81	1172	41
	0,25	97	1406	34
0,20	122	1758	28	
0,16	152	2197	22	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,25	2,50	7	95	345
	2,00	8	119	276
	1,60	10	148	221
	1,40	12	170	193
	1,25	13	190	172
	1,00	16	238	138
	0,80	21	297	110
	0,70	23	339	97
	0,60	27	396	83
	0,50	33	475	69
	0,45	37	528	62
	0,40	41	594	55
	0,35	47	679	48
	0,30	55	792	41
	0,25	66	950	34
	0,20	82	1188	28
	0,16	103	1484	22
	0,12	137	1979	17
	0,10	164	2375	14
	0,09	183	2639	12
0,08	206	2969	11	
0,07	235	3393	10	
0,06	274	3959	8	

### Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,18	2,50	5	68	345
	2,00	6	86	276
	1,60	7	107	221
	1,40	8	122	193
	1,25	9	137	172
	1,00	12	171	138
	0,80	15	214	110
	0,70	17	244	97
	0,60	20	285	83
	0,50	24	342	69
	0,45	26	380	62
	0,40	30	428	55
	0,35	34	489	48
	0,30	39	570	41
	0,25	47	684	34
	0,20	59	855	28
	0,16	74	1069	22
	0,12	99	1425	17
0,10	118	1710	14	
0,09	132	1900	12	
0,08	148	2138	11	
0,07	169	2443	10	
0,06	197	2850	8	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,12	2,50	3	46	345
	2,00	4	57	276
	1,60	5	71	221
	1,40	6	81	193
	1,25	6	91	172
	1,00	8	114	138
	0,80	10	143	110
	0,70	11	163	97
	0,60	13	190	83
	0,50	16	228	69
	0,45	18	253	62
	0,40	20	285	55
	0,35	23	326	48
	0,30	26	380	41
	0,25	32	456	34
	0,20	39	570	28
	0,16	49	713	22
	0,12	66	950	17
0,10	79	1140	14	
0,09	88	1267	12	
0,08	99	1425	11	
0,07	113	1629	10	
0,06	132	1900	8	

P (kW) | Güç  
Power

V (m/s) | Bant Hızı  
Belt Speed

F (N) | Bant Çekiş Gücü  
Belt Pull Force

M (Nm) | Moment  
Moment

n (1/min) | Devir  
Revolution

# GESTO

[www.gesto.com.tr](http://www.gesto.com.tr)


A | 1474. Sk. No: 13 İvedik / Ankara / TURKIYE

T | +90 312 354 37 86

@ | [info@gesto.com.tr](mailto:info@gesto.com.tr)



[www.gesto.com.tr](http://www.gesto.com.tr)



GESTO TAMIRIYER MOTOR  
GESTO DRUM MOTORS