


GESTO



GESTO TAMBUR MOTOR GESTO DRUM MOTORS



Kullanım Alanları

- Yüksek performanslı her türlü konveyör
- Gıda Endüstrisi
- Depo yükleme bantları
- Lojistik ve kargo uygulamaları
- Tarım tesisleri
- Havaalanı konveyörleri
- Teleskopik konveyörler
- Fırçalı temizleyiciler

Özellikler



- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Sertleştirilmiş çelik dişliler
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Fazlı AC endüksiyon motor
- Dual voltaj
- Güçlü tandem sızdırmazlık
- Düşük ses
- İsteğe bağlı farklı opsiyonlar*

Application Areas

- High duty applications
- Food industry
- Warehouse loading
- Logistics-Postal applications
- Agricultural plants
- Airport conveyors
- Telescopic conveyors
- Brush cleaners

Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Hardened steel
- Maintenance free
- Frequency convertor compatibility
- 3 Phase AC induction
- Dual voltage
- Double lipped tandem sealing
- Low noise
- Various options on request*



* Farklı ölçü istekleriniz için GESTO'ya danışınız.
For non-standard dimension requests contact GESTO.

Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
1,1	3,00	29	348	345
	2,50	35	418	288
	2,00	43	523	230
	1,60	54	653	184
	1,50	58	697	173
	1,40	62	746	161
	1,25	69	836	144
	1,00	87	1045	115
	0,80	108	1306	92
	0,70	124	1493	81
	0,60	145	1742	69
	0,50	173	2090	58
	0,40	217	2613	46
	0,30	289	3484	35
0,75	0,25	347	4180	29
	3,00	20	238	345
	2,50	24	285	288
	2,00	30	356	230
	1,60	37	445	184
	1,50	39	475	173
	1,40	42	509	161
	1,25	47	570	144
	1,00	59	713	115
	0,80	74	891	92
	0,70	84	1018	81
	0,60	99	1188	69
	0,50	118	1425	58
	0,40	148	1781	46
0,30	197	2375	35	
0,25	237	2850	29	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,55	3,00	14	174	345
	2,50	17	209	288
	2,00	22	261	230
	1,60	27	327	184
	1,50	29	348	173
	1,40	31	373	161
	1,25	35	418	144
	1,00	43	523	115
	0,80	54	653	92
	0,70	62	746	81
	0,60	72	871	69
	0,50	87	1045	58
	0,45	96	1161	52
	0,40	108	1306	46
	0,35	124	1493	40
	0,30	145	1742	35
	0,20	217	2613	23
0,16	271	3266	18	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,37	3,00	10	117	345
	2,50	12	141	288
	2,00	15	176	230
	1,60	18	220	184
	1,50	19	234	173
	1,40	21	251	161
	1,25	23	281	144
	1,00	29	352	115
	0,80	36	439	92
	0,70	42	502	81
	0,60	49	586	69
	0,50	58	703	58
	0,45	65	781	52
	0,40	73	879	46
	0,35	83	1004	40
	0,30	97	1172	35
	0,20	146	1758	23
0,16	182	2197	18	
0,12	243	2929	14	
0,08	365	4394	9	


P (kW) | Güç
Power

V (m/s) | Bant Hızı
Belt Speed

F (N) | Bant Çekiş Gücü
Belt Pull Force

M (Nm) | Moment
Moment

n (1/min) | Devir
Revolution



Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,25	3,00	7	79	345
	2,50	8	95	288
	2,00	10	119	230
	1,60	12	148	184
	1,50	13	158	173
	1,40	14	170	161
	1,25	16	190	144
	1,00	20	238	115
	0,80	25	297	92
	0,70	28	339	81
	0,60	33	396	69
	0,50	39	475	58
	0,45	44	528	52
	0,40	49	594	46
	0,35	56	679	40
	0,30	66	792	35
	0,20	99	1188	23
0,16	123	1484	18	
0,12	164	1979	14	
0,08	246	2969	9	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,18	3,00	5	57	345
	2,50	6	68	288
	2,00	7	86	230
	1,60	9	107	184
	1,50	9	114	173
	1,40	10	122	161
	1,25	11	137	144
	1,00	14	171	115
	0,80	18	214	92
	0,70	20	244	81
	0,60	24	285	69
	0,50	28	342	58
	0,45	32	380	52
	0,40	35	428	46
	0,35	41	489	40
	0,30	47	570	35
	0,20	71	855	23
0,16	89	1069	18	
0,12	118	1425	14	
0,08	177	2138	9	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
0,12	3,00	3	38	345
	2,50	4	46	288
	2,00	5	57	230
	1,60	6	71	184
	1,50	6	76	173
	1,40	7	81	161
	1,25	8	91	144
	1,00	9	114	115
	0,80	12	143	92
	0,70	14	163	81
	0,60	16	190	69
	0,50	19	228	58
	0,45	21	253	52
	0,40	24	285	46
	0,35	27	326	40
	0,30	32	380	35
	0,20	47	570	23
0,16	59	713	18	
0,12	79	950	14	
0,08	118	1425	9	

GESTO

www.gesto.com.tr


A | 1474. Sk. No: 13 İvedik / Ankara / TURKIYE

T | +90 312 354 37 86

@ | info@gesto.com.tr



www.gesto.com.tr



GESTO TAMBURLU MOTOR
GESTO DRUM MOTORS