

# GESTO



GESTO TAMBUR MOTOR  
GESTO DRUM MOTORS

### Kullanım Alanları

- Yüksek performanslı her türlü konveyör
- Kırma ve eleme uygulamaları
- Taş ocağı ve maden uygulamaları
- Tarım tesisleri
- Geri dönüşüm tesisleri
- Kömür ve çelik işletmeleri
- Beton ve çimento tesisleri
- Asfalt tesisleri

### Özellikler



- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Sertleştirilmiş çelik dişliler
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Fazlı AC endüksiyon motor
- Dual voltaj
- Güçlü tandem sızdırmazlık
- Düşük ses
- İsteğe bağlı farklı opsiyonlar\*

### Application Areas


- High duty applications
- Recycling plants
- Mining applications
- Asphalt plants
- Agricultural plants
- Coal and steel plants
- Mobile crushing & screening
- Concrete and cement plants

### Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Hardened steel
- Maintenance free
- Frequency convertor compatibility
- 3 Phase AC induction
- Dual voltage
- Double lipped tandem sealing
- Low noise
- Various options on request\*



\* Farklı ölçü istekleriniz için GESTO'ya danışınız.  
For non-standard dimension requests contact GESTO.



### Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
15	4,00	716	3563	190
	3,60	796	3959	171
	3,20	895	4453	152
	2,60	1102	5481	124
	2,20	1302	6478	105
	2,00	1432	7126	95
	1,80	1591	7917	86
	1,60	1790	8907	76
	1,30	2203	10962	62
	1,10	2604	12955	52
	11	4,00	525	2613
3,60		584	2903	171
3,20		656	3266	152
2,60		808	4020	124
2,20		955	4750	105
2,00		1050	5225	95
1,80		1167	5806	86
1,60		1313	6532	76
1,30		1616	8039	62
1,10		1910	9501	52
7,50		4,00	358	1781
	3,60	398	1979	171
	3,20	448	2227	152
	2,60	551	2741	124
	2,20	651	3239	105
	2,00	716	3563	95
	1,80	796	3959	86
	1,60	895	4453	76
	1,30	1102	5481	62
	1,20	1194	5938	57
	1,10	1302	6478	52
	1,00	1432	7126	48
	0,90	1591	7917	43
	0,70	2046	10179	33

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
5,50	4,00	263	1306	190
	3,60	292	1451	171
	3,20	328	1633	152
	2,60	404	2010	124
	2,20	477	2375	105
	2,00	525	2613	95
	1,80	584	2903	86
	1,60	656	3266	76
	1,30	808	4020	62
	1,20	875	4354	57
	1,10	955	4750	52
	1,00	1050	5225	48
	0,90	1167	5806	43
	0,70	1500	7465	33
4,00	4,00	191	950	190
	3,60	212	1056	171
	3,20	239	1188	152
	2,60	294	1462	124
	2,20	347	1727	105
	2,00	382	1900	95
	1,80	424	2111	86
	1,60	477	2375	76
	1,30	588	2923	62
	1,20	637	3167	57
	1,10	694	3455	52
	1,00	764	3800	48
	0,90	849	4223	43
	0,70	1091	5429	33

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
3,00	4,00	143	713	190
	3,60	159	792	171
	3,20	179	891	152
	2,60	220	1096	124
	2,20	260	1296	105
	2,00	286	1425	95
	1,80	318	1583	86
	1,60	358	1781	76
	1,30	441	2192	62
	1,20	477	2375	57
	1,10	521	2591	52
	1,00	573	2850	48
	0,90	637	3167	43
	0,70	818	4072	33
	0,60	955	4750	29
	0,50	1146	5700	24
	0,40	1432	7126	19
	0,30	1910	9501	14
0,26	2203	10962	12	
0,20	2864	14251	10	

P (kW) | Güç | Power  
V (m/s) | Bant Hızı | Belt Speed  
F (N) | Bant Çekiş Gücü | Belt Pull Force  
M (Nm) | Moment | Moment  
n (1/min) | Devir | Revolution

### Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
2,20	4,00	105	523	190
	3,60	117	581	171
	3,20	131	653	152
	2,60	162	804	124
	2,20	191	950	105
	2,00	210	1045	95
	1,80	233	1161	86
	1,60	263	1306	76
	1,30	323	1608	62
	1,20	350	1742	57
	1,10	382	1900	52
	1,00	420	2090	48
	0,90	467	2322	43
	0,70	600	2986	33
	0,60	700	3484	29
	0,50	840	4180	24
	0,40	1050	5225	19
0,30	1400	6967	14	
0,26	1616	8039	12	
0,20	2101	10451	10	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
1,50	4,00	72	356	190
	3,60	80	396	171
	3,20	90	445	152
	2,60	110	548	124
	2,20	130	648	105
	2,00	143	713	95
	1,80	159	792	86
	1,60	179	891	76
	1,30	220	1096	62
	1,20	239	1188	57
	1,10	260	1296	52
	1,00	286	1425	48
	0,90	318	1583	43
	0,70	409	2036	33
	0,60	477	2375	29
	0,50	573	2850	24
	0,40	716	3563	19
0,30	955	4750	14	
0,26	1102	5481	12	
0,20	1432	7126	10	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
1,10	4,00	53	261	190
	3,60	58	290	171
	3,20	66	327	152
	2,60	81	402	124
	2,20	95	475	105
	2,00	105	523	95
	1,80	117	581	86
	1,60	131	653	76
	1,30	162	804	62
	1,20	175	871	57
	1,10	191	950	52
	1,00	210	1045	48
	0,90	233	1161	43
	0,70	300	1493	33
	0,60	350	1742	29
	0,50	420	2090	24
	0,40	525	2613	19
0,30	700	3484	14	
0,26	808	4020	12	
0,20	1050	5225	10	

P (kW) | Güç  
Power

V (m/s) | Bant Hızı  
Belt Speed

F (N) | Bant Çekiş Gücü  
Belt Pull Force

M (Nm) | Moment  
Moment

n (1/min) | Devir  
Revolution

# GESTO

[www.gesto.com.tr](http://www.gesto.com.tr)


A | 1474. Sk. No: 13 İvedik / Ankara / TURKIYE

T | +90 312 354 37 86

@ | [info@gesto.com.tr](mailto:info@gesto.com.tr)



[www.gesto.com.tr](http://www.gesto.com.tr)



GESTO TAMIRIYER MOTOR  
GESTO DRUM MOTORS